The Steel Network, Inc.

DriftTrak® DTSLB


Bypass Slab

DTSLB

Material Composition

DTSLB Clip Material: ASTM A1003/A1003M Structural Grade 50 (340) Type H, ST50H (ST340H): 50ksi (340MPa) minimum yield strength, 65ksi (450MPa) minimum tensile strength, 68mil minimum thickness (14 gauge, 0.0713" design thickness) with ASTM A653/A653M G90 (Z275) hot dipped galvanized coating.





The Steel Network, Inc. 7

DriftTrak DTSLB Allowable (Unfactored) Loads

3.313

DriftTrak® DTSLB & DTSLB-HD, Recommended Allowable Load (lbs): F2									
		DTSLB				DTSLB-HD			
Stud		8" Fastener Spacing in Track to Structure (or welded on each side)		16" Fastener Spacing in Track to Structure (or welded on each side)		8" Fastener Spacing in Track to Structure (or welded on each side)		16" Fastener Spacing in Track to Structure (or welded on each side)	
Thickness Mils (ga)	Yield Strength (ksi)	w/2 #12 Screws	w/3 #12 Screws	w/2 #12 Screws	w/3 #12 Screws	w/2 #12 Screws	w/3 #12 Screws	w/2 #12 Screws	w/3 #12 Screws
33 (20)	33	377	565	377	565	377	565	377	565
33 (20)	50	544	808	544	753	544	817	544	817
43 (18)	33	561	808	561	753	561	841	561	841
43 (18)	50	808	808	753	753	810	1,215	810	953
54 (16)	33	789	808	753	753	789	1,183	789	953
54 (16)	50	808	808	753	753	1,139	1,618	953	953
68 (14)	50	808	808	753	753	1,610	1,618	953	953
97 (12)	50	808	808	753	753	1,618	1,618	953	953
Maximum Allowable Clip Load		808		753		1,618		953	

DTSLB-HD

Notes:

- Design loads are for attachment of DriftTrak DTSLB to stud only. Load tables reflect horizontal loads (F2).
- Attachment to structure engineered by others.
- Allowable loads have not been increased for wind, seismic, or other factors.
- #12 screws are provided with each step bushing for attachment to stud. Load requirements don't always justify use of a third screw.
- Clips are manufactured to fit into the DriftTrak and provide up to 2" of vertical deflection (1" up and 1" down), and free lateral movement of the structure.
- Allow a minimum of 0.875" from the structure to the inside flange of the bypassing stud to allow for track attachment. Standard offset of stud from the open face of the track should not exceed 1.25".
- One row of bridging is recommended at a maximum distance of 18" from DriftTrak if no other stud lateral restraint is present.
- ¹ For LRFD Design Strengths refer to ICC-ESR-2049.

Nomenclature

DriftTrak DTSLB is classified by multiplying stud depth by 100, followed by "HD," based on F2 strength required. Refer to load tables.*

Example: 6" stud depth, with an outward load (F2) of 1,000 lbs **Designate:** DriftTrak® DTSLB600-HD

082022 | The Steel Network, Inc.







^{*} Notches are standard in Drift Trak DTSLB. For greater F2 outward load capacity, use DTSLB-HD clips w/o notches. Refer to Allowable Load Table

The Steel Network, Inc.

Fastener Patterns






Fastener Pattern 1 replicates a condition of out-of-plane wind or seismic force with no vertical live load deflection and full in-plane drift.

Fastener Pattern 2 replicates a condition of out-of-plane wind or seismic force with full vertical live load deflection and full in-plane drift.

Locking of Lateral Movement After Panel Installation





DriftTrak DTSLB362/400, DTSLB600 & DTSLB800 ICC-ESR-2049 www.icc-es.org



082022 | The Steel Network, Inc.



FOR MORE INFORMATION CALL 1-888-926-1365