

SURFACE MOUNTED FLUSH ACCESS DOOR

Model DSB-214SM

For All Types of Construction

DATE

PROJECT DATA



SPECIFICATIONS

GENERAL SCOPE:

Access doors shall be Karp Type DSB-214SM as manufactured by Karp Associates, Inc., Melville, N.Y. Sizes shall be as indicated on the drawings.

CONSTRUCTION:

- 1.(a) On door sizes of 12×12 and smaller, door and frame shall be 16 gage steel (or if specified, stainless steel).
- (b) On larger sizes, door and frame shall be 14 gage steel (or if specified, stainless steel).
- 2. Trim shall be one piece construction.
- 3. Hinge shall be exposed continuous piano hinge.
- 4. Latches shall be flush and screwdriver operated, or shall be key operated cylinder lock with automatic dust shutter.


 5. Finish shall be prime coat of rust inhibitive electrostatic.
- 5. Finish shall be prime coat of rust inhibitive electrostatic powder, baked white enamel.

STANDARD SIZES

FRAME MTG SIZE H X W (IN.)	NUMBER OF LATCHES	SHIP WT. (LBS.)	
8 x 8	1	1.8	
12 x 12	1	4.2	
16 x 16	2	7.0	
24 x 24	4	13.7	

Project Name:								
Architect:								
Contractor:								
Agent/Customer Name:								
Tagging Instructions:								
Special Instructions:								
PROJECT SCHEDULE								
Qty.	Н	w	No. of Latches	Finish	Remarks			

T 1/4"							
		H + 3/8" H	I-1/8"	SCREWDR OPERATED -STUD CATCH			
2/	46" DIA LIC	N EC	/	— W-1/8"		 1/4"	





Made with Union Labor



3/16 " DIA. HOLES (OPTIONAL COUNTERSINK -HOLES IF SPECIFIED)