



CABINETS ALTA VALVE CABINETS FIRE RATED UL CLASSIFIED, 7N43

Model/Series No.
**FRC8000
SERIES**

SPECIFICATIONS

BOX

Cold rolled steel with an electrostatically applied, thermally-fused polyester coating with recoatable white finish, and a continuous hinge.

DOOR AND FRAME

Model 8020-8027: **Steel** - Cold rolled steel with recoatable white polyester finish

Model 8040-8047: **Aluminum** - Clear anodized finish

Model 8060-8067: **Stainless Steel** - #304 Stainless steel with #4 finish

Model 8080-8087: **Brass** - Polished finish, clear polyester coated



MODEL FRC8020 (Shown)

MODEL SELECTION

STEEL

- ☐ FRC8020 Recessed
- ☐ FRC8021 Trimless
- ☐ FRC8022 Semi-Recessed
- ☐ FRC8025 Recessed
- ☐ FRC8026 Trimless
- ☐ FRC8027 Semi-Recessed

ALUMINUM

- ☐ FRC8040 Recessed
- ☐ FRC8041 Trimless
- ☐ FRC8042 Semi-Recessed
- ☐ FRC8045 Recessed
- ☐ FRC8046 Trimless
- ☐ FRC8047 Semi-Recessed

MODEL SELECTION (cont.)

STAINLESS STEEL

- ☐ FRC8060 Recessed
- ☐ FRC8061 Trimless
- ☐ FRC8062 Semi-Recessed
- ☐ FRC8065 Recessed
- ☐ FRC8066 Trimless
- ☐ FRC8067 Semi-Recessed

BRASS

- ☐ FRC8080 Recessed
- ☐ FRC8081 Trimless
- ☐ FRC8082 Semi-Recessed
- ☐ FRC8085 Recessed
- ☐ FRC8086 Trimless
- ☐ FRC8087 Semi-Recessed

Call Potter Roemer - Fire Pro for current listings and approvals. Dimensions are subject to manufacturer's tolerance and may change without notice. Potter Roemer-Fire Pro assumes no responsibility for use of void or superseded data. © Copyright Potter Roemer-Fire Pro, Member of Morris Group International™ Please visit potterroemer.com for most current specifications.

FRC8000 SERIES

Date: 09/19/18

MEMBERSHIP



FIRE EQUIPMENT
MANUFACTURERS'
ASSOCIATION



CASPE
American Society of
Plumbing Engineers



NFSA
NATIONAL FIRE SPRINKLER ASSOCIATION

POTTER ROEMER/FIRE PRO



FOR MORE INFORMATION CALL 1-888-926-1365
Superior Specialty Supply • 9 Council Drive • PO Box 417 • Woodsboro, MD 21798 • www.sssupply.com



CABINETS ALTA VALVE CABINETS FIRE RATED UL CLASSIFIED, 7N43

Model/Series No.
**FRC8000
SERIES**

PRODUCT OPTIONS

DOOR STYLES:

- ☐ -A Full Glass, w/ Tempered Safety Glass
- ☐ -B Break-Glass, w/lock & Break Rite® Handle
- ☐ -D Duo-Panel w/ Tempered Safety Glass
- ☐ -DV Duo-Vertical Panel w/ Tempered Safety Glass
- ☐ -DVL Duo-Vertical Panel w/ Lock, TSG & Break Rite® Handle
- ☐ -E Tempered Safety Glass (25 sq. in.) w/ Break Rite® Handle
- ☐ -F Solid Flush Metal
- ☐ -FS Solid Flush Metal w/ lock

****NOTE: ALL GLASS DOOR STYLES PROVIDED WITH CLEAR TEMPERED SAFETY GLASS IN COMPLIANCE WITH ANSI Z97-1-1984**

GLAZING MATERIAL:

- ☐ -1 TS Bronze Tempered Safety Glass
- ☐ -2 TS Smoke Tempered Safety Glass
- ☐ -4 TS Obscure Tempered Safety Glass
- ☐ -6 1/8" Clear Acrylic
- ☐ -7 1/8" Bronze Acrylic
- ☐ -8 1/8" White Acrylic
- ☐ -9 1/8" Smoke Acrylic
- ☐ -10 1/8" Red Acrylic

DOOR AND FRAME FINISHES:

- ☐ -STEEL: Any polyester paint color, if available; Provide mfg. name and color number
- ☐ -ALUMINUM: Light, Medium or Dark duranodic
- ☐ -STAINLESS STEEL: Number 304 Stainless, with #8 mirror finish
- ☐ -BRONZE: U.S. # 10 Satin finish with clear coating, or dark oxidized, oil rubbed; specify
- ☐ -RED: For Red Polyester Finish, Add This Suffix
- ☐ -RR: For Rolled Radius Return, Add This Suffix
- ☐ CUSTOM _____

PRODUCT OPTIONS (cont.)

FIRE EXTINGUISHER LETTERING:

- ☐ -HW Horizontal White
- ☐ -HB Horizontal Black
- ☐ -HR Horizontal Red
- ☐ -VW Vertical White
- ☐ -VB Vertical Black
- ☐ -VR Vertical Red
- ☐ -VAW Vertical Ascending White
- ☐ -VAB Vertical Ascending Black
- ☐ -VAR Vertical Ascending Red

FIRE DEPT. VALVE LETTERING:

- ☐ -WH Horizontal White
- ☐ -BH Horizontal Black
- ☐ -RH Horizontal Red

Call Potter Roemer - Fire Pro for current listings and approvals. Dimensions are subject to manufacturer's tolerance and may change without notice. Potter Roemer-Fire Pro assumes no responsibility for use of void or superseded data. © Copyright Potter Roemer- Fire Pro, Member of Morris Group International™ Please visit potterroemer.com for most current specifications.

FRC8000 SERIES

Date: 09/19/18

MEMBERSHIP



FIRE EQUIPMENT
MANUFACTURERS'
ASSOCIATION



CASPE
American Society of
Plumbing Engineers



ONFSA
NATIONAL FIRE SUPPLY ASSOCIATION, ETC.

POTTER ROEMER/FIRE PRO

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



FOR MORE INFORMATION CALL 1-888-926-1365
Superior Specialty Supply • 9 Council Drive • PO Box 417 • Woodsboro, MD 21798 • www.sssupply.com





CABINETS ALTA VALVE CABINETS FIRE RATED UL CLASSIFIED, 7N43

Model/Series No.
**FRC8000
SERIES**


MODEL DIMENSIONS

Model No.				Wall Mounting	Inside Box Dimension			Overall Frame		Wall Opening Required			Trim	Shelf	For Use With	ADA
Steel	Aluminum	Stainless Steel	Brass		K	L	M	N	O	W I D T H	H E I G H T	D E P T H				
FRC8020	FRC8040	FRC8060	FRC8080	Recessed	18	18	8	21-3/4	21-3/4	20-1/4	20	9-3/4	-	-	2-1/2" Angle valves	Yes
FRC8021	FRC8041	FRC8061	FRC8081	Trimless	18	18	8-3/4	21	21	20-1/4	20	10-1/2	-	-		Yes
FRC8022	FRC8042	FRC8062	FRC8082	Semi-Recessed	18	18	8	21-1/2	21-1/2	20-1/4	20	7-3/4	2	-		Yes
FRC8025	FRC8045	FRC8065	FRC8085	Recessed	14	40	8	17-3/4	43-3/4	16-1/4	42	9-3/4	-	12	Up to 20lb. Dry Chem Fire Ext. & 2-1/2" Angle Valves	Yes
FRC8026	FRC8046	FRC8066	FRC8086	Trimless	14	40	8-3/4	17	43	16-1/4	42	10-1/2	-	12		Yes
FRC8027	FRC8047	FRC8067	FRC8087	Semi-Recessed	14	40	8	17-1/2	43-1/2	16-1/4	42	7-3/4	2	12		Yes


ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED



RECESSED



TRIMLESS



SEMI-RECESSED

Call Potter Roemer - Fire Pro for current listings and approvals. Dimensions are subject to manufacturer's tolerance and may change without notice. Potter Roemer-Fire Pro assumes no responsibility for use of void or superceded data. © Copyright Potter Roemer-Fire Pro, Member of Morris Group International™ Please visit potterroemer.com for most current specifications.

FRC8000 SERIES Date: 09/19/18

MEMBERSHIP



FIRE EQUIPMENT MANUFACTURERS' ASSOCIATION



ONFSA
NATIONAL FIRE SPRINKLER ASSOCIATION

POTTER ROEMER/FIRE PRO



FOR MORE INFORMATION CALL 1-888-926-1365
Superior Specialty Supply • 9 Council Drive • PO Box 417 • Woodsboro, MD 21798 • www.sssupply.com